objections, if any, for introducing house service connections immediately or the conditions required for such introduction ?

Mr. V. K. Aravindaksha Menon —(a) 1. Under original works Rs. 31,319—8—0 and under maintenance works Rs. 6,878—12—6.

2. A quantity ranging between 16 and 18 thousand gallons per day.

3. The quantity is not yet fixed. It is expected that the quantity will have to be increased to 25,000 gallons per day.

4. The probable quantity of water that would be required after the completion of the scheme was estimated to be about 4½ lakhs gallons. Under the present condition it is expected that it will be possible to supply about 60,000 gallons per day.

5. 12,400 feet.

6. After all the street taps and mains are laid.

(b) Please vide answers to (a) (6).

Companies in Mattancheri.

159. Mr. A. B. Salem.—Will the Government be pleased to inform:—

(a) the number of registered Companies existing in Mattancheri;

(b) and the total amount of company tax collected by the Municipality in the year 1104 ?

Rama Varmha Tampuran.—(a) Fifteen.

(b) Rs. 1,235 till 24th Mithunam 1104.

Total Government Tax in Mattancheri.

160. Mr. A. B. Salem.—Will the Government be pleased to inform the total amount of revenue under all heads of receipts collected from the town of Mattancheri through the various Departments of the Government, and the total amount of expenditure spent in Mattancheri ?

Rama Varmha Tampuran.—It is not possible to give an answer as the period for which information is wanted is not specified.

Qualifications of a Tahsildar.

161. Mr. T. A. Ramachandra Ayyar.—Will the Government be pleased to state the qualifications for a Tahsildarship at present prescribed by Government;

(2) have the rules in the general Standing Orders laid down during the Diwanship of Sir A. R. Banerji been changed subsequently;

(3) if so, will they be pleased to state what those changes are;

(4) did Mr. V. Achyuta Menon, the present Anchal Super-

LIBRARY ARCHIVES Kerala Legislative Assembly